

تم يوم الاثنين الموافق ٢٠٢٤/ ٢/٢٦ مناقشه برزنتشن للطلاب الفرقة الثالثه قسم تمريض  
امراض النساء والتوليد

بعنوان

## Cesarean section

وذلك تحت اشراف أ.د/ هند عبدالله السيد

رئيس القسم

أ.م.د/ سميه عوده عبد المنعم

استاذ مساعد تمريض امراض النساء والتوليد

د/سحر شفيق محمد

مدرس مساعد تمريض امراض النساء والتوليد







تم يوم الاثنين الموافق ٢٠٢٤/ ٢/٢٦ مناقشه برزنتشن للطلاب الفرقة الثالثه قسم تمريض  
امراض النساء والتوليد

بعنوان

## Mastitis

وذلك تحت اشراف أ.د/ هند عبدالله السيد

رئيس القسم


د/زينب ربيع عبد المرضى

مدرس تمريض امراض النساء والتوليد

م/ هند سعيد عبد الحميد

معيده بقسم تمريض امراض النساء والتوليد





## MASTITIS SYMPTOMS



**BREAST SWELLING**  
The breasts feel swollen and become significantly tender and veins may become more noticeable.



**FEVER**  
Flu-like symptoms, such as fever (over 101 degrees F), elevated body temperature, aches, fatigue and frequent urination are common.



**TENDERNESS**  
The affected breast area may become significantly tender in addition to any pain from nipple cracking.



**SKIN REDNESS**  
Due to inflammation, you may notice redness to the breast area.



**BURNING SENSATION**  
The whole breast may have a constant burning sensation or it may only occur when the breast is touched or when the baby is nursing.



**ABNORMAL MILK APPEARANCE**  
Milk may appear chunky, lumpy or stringy due to clotted and clumped milk in the milk ducts. The milk is safe for the nursing child.



**SALTIER MILK**  
Due to elevated salt and chloride content, the milk has a saltier flavor but is still safe for the baby.

DrJOCKERS.com

Figure (4) Signs and symptoms of mastitis



تم يوم الاربعاء الموافق ٢٠٢٤/ ٢/٢٨ مناقشه برزنتشن للطلاب بعنوان

## Pelvic inflammatory disease

وذلك تحت اشراف أ.د/ هند عبدالله السيد

رئيس القسم

أ.م.د/ علا عبد الوهاب عفيفي

استاذ مساعد تمريض امراض النساء والتوليد

د/غاده محمد طه

مدرس مساعد تمريض امراض النساء والتوليد







تم يوم السبت الموافق ٢٠٢٤/ ٢/٢٤ مناقشه برزنتشن للطلاب الفرقة الثالثه قسم تمريض  
امراض النساء والتوليد

بعنوان

## Poly cystic ovary syndrome

وذلك تحت اشراف أ.د/ هند عبدالله السيد

رئيس القسم

د/إلهام ابو زيد رمضان

استاذ مساعد تمريض امراض النساء والتوليد

م/ هند محمد عبد العظيم

معيده بقسم تمريض امراض النساء والتوليد





تم يوم الاثنين الموافق ٢٠٢٤/ ٢/٢٦ مناقشه برزنتشن للطلاب الفرقة الثالثه قسم تمريض  
امراض النساء والتوليد

بعنوان

## Mastitis

وذلك تحت اشراف أ.د/ هند عبدالله السيد

رئيس القسم

د/زينب ربيع عبد المرضى

مدرس تمريض امراض النساء والتوليد

م/ هند سعيد عبد الحميد

معيده بقسم تمريض امراض النساء والتوليد






Figure (4) Signs and symptoms of mastitis



تم يوم الاربعاء الموافق ٢٠٢٤/ ٢/٢٨ مناقشه برزنتشن للطلاب بعنوان

## Violence against women

وذلك تحت اشراف أ.د/ هند عبدالله السيد

رئيس القسم

أ.م.د/ علا عبد الوهاب عفيفي

استاذ مساعد تمريض امراض النساء والتوليد

د/ جهاد جمال

مدرس تمريض امراض النساء والتوليد

م/ ساره السوقى محمد

معيدة بقسم تمريض امراض النساء والتوليد





5) **Psychological and Emotional Factors:** Mental health issues, trauma, and unresolved conflicts can contribute to perpetration of violence.

**Substance Abuse:** Alcohol or drug abuse can increase violent behavior and judgment, increasing the risk of violence against women.

**Systemic Failures:** Inadequate legal protections, law enforcement response, and support services can perpetuate a culture of impunity for perpetrators and reporting.

